



SPC-202

Material Safety Data Sheet (Aust Compliant)

Copyright, 2003, Sea To Sky Innovations Ltd. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Sea To Sky Innovations Ltd. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Sea To Sky Innovations Ltd., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: SPC 202 SURFACE PREPARATION COMPOUND
MANUFACTURER: Sea To Sky Innovations Ltd. **Australian Office:** Sea To Sky (Aust) Pty Ltd.
ADDRESS: Unit 8 - 91 Golden Drive
Coquitlam, BC V3K 6R2
Canada
Unit 47, 20 Tucks Road
Seven Hills, NSW 2147
Australia

EMERGENCY PHONE: (604) 468-7711

Issue Date: 08/20/2003

Supersedes Date: 04/01/2003

Product Use:

Specific Use: Paint Remover

SECTION 2: INGREDIENTS

<u>Ingredient</u>	<u>C.A.S. No.</u>	<u>% by Wt</u>
AROMATIC ALCOHOL	100-51-6	20 - 40
SURFACTANT BLEND	MIXTURE	0.1 - 5
WATER	7732-18-5	40 - 60
EVAPORATION RETARDANT	MIXTURE	6 - 10

SECTION 3: HAZARDS IDENTIFICATION

3.1 OVERVIEW

General Physical Form: Sprayable/Brushable Cream

Odor, Color, Grade: Mild odor, White color, Spray/Brush.

Specific Physical Form: O/W Emulsion

Immediate health, physical, and environmental hazards: May cause slight to moderate eye irritation. Harmful if swallowed.

3.2 POTENTIAL HEALTH EFFECTS

Eye Contact:

Slight to Moderate Eye Irritation: Signs/symptoms may include significant redness, swelling and discomfort.

Skin Contact:

Slight to Moderate Irritation: Signs/symptoms may include localized numbness of the contacted area and itching. Numbness is due to the impact of the alcohol mixture and its anesthetic properties.

Inhalation:

Single exposure, above recommended guidelines, may cause:

Respiratory Tract Irritation: Signs/symptoms may include coughing, headache and hoarseness.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, nausea, diarrhea and vomiting.

Target Organ Effects:

None

3.3 POTENTIAL ENVIRONMENTAL EFFECTS

None expected.

SECTION 4: FIRST AID MEASURES

4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on the assumption that appropriate personal and industrial hygiene practices are followed.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.

Skin Contact: Remove contaminated clothing and shoes. Immediately flush skin with large amounts of water for at least 15 minutes. Get immediate medical attention. Wash contaminated clothing and clean shoes before reuse.

Inhalation: Remove person to fresh air. If signs/symptoms develop, get medical attention.

If Swallowed: Give victim two glasses of milk or water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

SECTION 5: FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

Autoignition temperature	<i>Not Applicable</i>
Flash Point	above 100 °C (PMCC) * see note below
Flammable Limits – LEL	<i>No Data Available</i>
Flammable Limits – UEL	<i>No Data Available</i>
Flammability Classification:	Non Flammable

**Note: Water vapor from test sample smothers the flame thereby preventing ignition and flash point detection.*

5.2 EXTINGUISHING MEDIA

Class B extinguishing agents (e.g., dry chemical, carbon dioxide).

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Wear appropriate protective clothing, gloves, safety glasses. Contain spill. Working from around the edges of the spill inward, cover with an absorbent material such as bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Seal the container. Clean up residue with soap and water. Rinsates may be disposed of in sewers leading to a municipal or city treatment facility or an internal treatment facility.

In the event of a release of this material, the user should determine if the release qualifies as reportable according to local, state, and federal regulations.

SECTION 7: HANDLING AND STORAGE

7.1 HANDLING

Avoid contact with oxidizing agents, acids and alkalis. Avoid eye contact with vapors, mists, or spray. Use in a well ventilated area. Keep container closed when not in use. Keep out of the reach of children.

7.2 STORAGE

Store away from heat. Store out of direct sunlight.

Storage Temperature: 0 – 45 °C

Shelf Life: 12 months minimum

Note: Frozen product may separate upon thawing. Extended storage above 45 °C may contribute to a shorter shelf life.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 ENGINEERING CONTROLS

Use with appropriate local exhaust ventilation.

8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

8.2.1 Eye/Face Protection

Avoid eye contact. The following eye protection(s) are recommended: Safety Glasses.

An eye wash station should be in the area.

8.2.2 Skin Protection

Avoid skin contact. Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials. Gloves made from the following material(s) are recommended: Neoprene.

Clothing made from the following material(s) are recommended: Tyvec, rubber or neoprene.

A safety shower should be available in the area.

8.2.3 Respiratory Protection

Avoid breathing of vapors, mists or spray. Select one of the following suitable respirators based on airborne concentration of contaminants: Use combination filter P2/A against aerosol formation

8.2.4 Prevention of Swallowing

Do not ingest. Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Specific Physical Form:	O/W Emulsion
Odor, Color, Grade:	Mild odor, White color, Spray/Brush.
Autoignition temperature	<i>Not Applicable</i>
Flash Point	above 100 °C (see note in section 5.1)
Flammable Limits – LEL	<i>No Data Available</i>
Flammable Limits – UEL	<i>No Data Available</i>
Boiling point	Approximately 100 °C
Vapor Density	<i>No Data Available</i>
Vapor Pressure	<1
Specific Gravity	Approximately 1.01 [<i>Ref Std: WATER=1</i>]
pH	Acidic
Melting point	<i>Not Applicable</i>
Solubility in Water	Partially Miscible
Evaporation rate	<1 [<i>Ref. N-butyl acetate=1</i>]
Viscosity	12000 - 18000 cPs
VOC Content	No regulated VOC's

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable.

Materials and Conditions to Avoid: Strong oxidizing agents, acids and alkalis.

Hazardous Polymerization: Hazardous polymerization will not occur.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide
Carbon dioxide

Condition

During Combustion
During Combustion

SECTION 11: TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

SPC 202 is partially miscible in water and biodegradable in accordance with the ISO/DIS 8192 standard (measure of the inhibition of oxygen consumption of activated sludge). Accumulation is not expected.

CHEMICAL FATE INFORMATION

Not Determined

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Waste material must be disposed of in accordance with the national/local legislative requirements.

Incinerate in a permitted hazardous waste incinerator. As a disposal alternative, dispose of waste product in a permitted hazardous waste facility.

Since regulations vary, consult applicable regulations or authorities before disposal.

SECTION 14: TRANSPORT INFORMATION

ID Number	UPC	ID Number	UPC
Not Applicable			
	ADR (Road)	RID (Rail)	IMDG (Sea)
UN No.	----	----	----
Class	----	----	----
Haz. Id. No.	----	----	NA
Packaging Group	NA	NA	----
MFAG	NA	NA	NA
Sub. Risk	NA	NA	NA
Label	----	----	----
EmS	NA	NA	----
Dang. Goods	----	----	----
Marine Pollutant	NA	NA	----
			IATA (Airplane)

			NA

			NA

			NA

SECTION 15: REGULATORY INFORMATION

AUST GUIDELINES

Risk Phrases:

R20/22 Harmful by inhalation and if swallowed.

Safety Phrases:

S(2) Keep locked up and out of reach of children.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with running water for 15 minutes and seek medical advice.

SECTION 16: OTHER INFORMATION

Revision Changes: Address Update

DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. SEA TO SKY INNOVATIONS LTD. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Sea To Sky Innovations Ltd. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Sea To Sky Innovations Ltd. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Sea To Sky Innovations Ltd. product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.